


Geothermal activity in Europe




Iceland



Icelandic Deep Drilling project

Alvsby



Guadalupe

Açores

Paris Basin

Landau

Groß Schönebeck

Neustadt-Glewe

Soultz-sous-forêt EGS

Basel EGS

Altheim





Larderello

Ferrara

Cozia-Calciulata

Bansko, Kocani, Gevgelia

Izmir

-  Heat Pumps
-  District heating
-  Enhanced Geothermal Systems test sites
-  Electricity production, co generation




Geothermal Heat Pumps



Pyrzyce



Soultz



Groß Schönebeck



Neustadt-Glewe




Altheim




Larderello, 1904-2006

Geothermal power and direct use production

Geothermal direct use capacity 2005
13626 MWt



Geothermal power capacity
2004, 1179 MWE



Compilation, L. Rybach, GRC 2006




The strategy of the European commission and the R&D programs

- > Directive 2001/77/EC : doubling the contribution of renewable energy from 6 to 12% of total energy consumption by 2010.
- > The White Paper (Community Strategy and Action Plan, 1997) : doubling (500 to 1000 MW) of electricity production capacity, increase from 750 to 25000 MW for heat production capacity of geothermal origin by 2010
- > To be compared with in 2004: electricity production capacity: 1179 MWE, and in 2005: heat production capacity 13626 MWt

A paradox in 2005

- > Europe is a pioneer for the development of geothermal energy
 - Larderello
 - Iceland
 - Paris basin
 - GHP in Scandinavia
 - R&D in Soultz-sous-Forêts
 - Power generation by binary plants
 - ...
- > but there is no major ambition for the development of geothermal energy at the scale of Europe because:
 - a lack of political support
 - no coordination of communication compared to other lobbies
 - no major companies involved
 - the division of the scientific community








Strategy for defining targets for Geothermal energy

Italy, Iceland,
Caribbean Islands,
France-Germany
(Rhine), Hungary
Poland, Spain



FP6 projects: a significant R&D investment

CAMELIA: Multigeneration Energy Systems with Locally Integrated Applications

GroundHit: Ground Coupled Heat Pumps of High Technology


Low Bin: Binary systems

ENGINE Co-ordination Action

I-GET: Integrated Geophysical Exploration Technology

HITI (STREP): High-Temperature Equipment

EGS (STREP): Soultz




> A total budget of 46,6M€ over 4 years and a support of 17,6M€ from EU dedicated to geothermal energy




Enhanced Geothermal Systems: the concept

- > Enhancing and broadening geothermal energy reserves
 - stimulating reservoirs in Hot Dry Rock systems,
 - enlarging the extent of productive geothermal fields by enhancing/stimulating permeability in the vicinity of naturally permeable rocks
 - enhancing the viability of current and potential hydrothermal areas by stimulation technology and improving thermodynamic cycles,
 - improving drilling and reservoir assessment technology,
 - improving exploration methods for deep geothermal resources
 - defining new targets and new tools for reaching supercritical fluid systems, especially high-temperature down-hole tools and instruments

The EGS challenge



- o exploration
- o resource assessment
- o resource management
- o advanced drilling
- o advanced stimulation
- o efficient power cycles
- o environmental impact



**A scientific and technical European Reference Manual for
the development of Unconventional Geothermal Resources
and Enhanced Geothermal Systems**

WP1

Project Management

- 1 co-ordinator and secretary
- follow up time / quality / cost
- 1 executive Group
- 1 steering committee
- Connection with international agencies, national programmes, industrial partners

Deliverables

- quarterly reports to EU
- stronger links with new projects

WP3

Investigation of Unconventional Geothermal Resources and EGS

- The scientific and technological challenges of the exploration phase
- Gaps, barriers and cost effectiveness


Publications

- state-of-the-art
- proceedings of conferences
- definition and analysis of bottlenecks and solutions

yntl26(ee)7(-)29(at)62((o)7(n bes)(t)62(pr)29()62(ac)32(t6(es)-49)7(o)26(es)-49(at)62()TJ

WP6 Expertise on investigation of unconventional Geothermal resources and EGS

- Synthesis on best practices, barriers holding back development and possible solutions



Extension of the network to Third countries (Mexico, El Salvador, Philippines)



WP1, Project Management

WP2, Information and dissemination system

WP3. Investigation of UGR and EGS ★ Italy (04/2007)

★ Germany (11/2206)
★ Mid-term Conference

WP6. Expertise on investigation of UGR and EGS

WP4. Drilling, stimulation and reservoir assessment

★ Switzerland (06/2006)
★ Mid-term Conference

★ Iceland (07/2007)
WP7. Expertise on drilling, stimulation and reservoir assessment

WP9. Risk evaluation for the development of geothermal energy

WP5. Exploitation, economic, environmental and social impacts


★ France (9/2006)
★ Mid-term Conference (Germany 01/2007)

★ Greece (09/2007)
WP8. Expertise on exploitation, economic, environmental, social impacts

★ The Netherlands (11/2007)
★ Final Conference (Lithuania, 02/2008)

★ Specialised workshops (06/2a -07555 02 325.78)

Launching Conf. (France 2/2006)




Publication policy and Meeting management



> **Launching Conference**
Orléans, France



> **Workshop 3**
Zurich, Switzerland



> **Workshop 5**
Strasbourg, France



> **Workshop 1**
Potsdam, Germany

> **Mid-Term Conference**
Potsdam, Germany

Publication policy






A framework for some of the R&D issues that will result from the ENGINE project

- > An illustration of the bottom-up approach
- > to capitalise the know-how and to define new integrated projects
 - Investigation of Unconventional Geothermal Resources

Investigation of Unconventional Geothermal Resources and Enhanced Geothermal Systems

> Geological knowledge

- Architecture, geometry and nature of the target deduced from geological context and structural analysis: a 3D model
- Geophysical methods are suitable but existing methods must be improved and used in combination with different, highly sensitive techniques in order to meet the specific requirements of modern geophysical exploration for geothermal purposes: links with IGET




Investigation of Unconventional Geothermal Resources and Enhanced Geothermal Systems

> Geological knowledge


> Finding heat at depth

- Extension of large-wavelength heat-flow anomalies at depth is often inaccurate (insufficient knowledge of the causes of heat-flow anomaly and of thermal properties of the main lithologies)
- Several physical parameters are coupled with temperature and can be imaged by different geological, geophysical and geochemical methods
- The definition of possible targets for EGS could be improved by the use of a 3D modelling platform, in which all solutions from geological, geochemical and geophysical modelling, direct and inverse, could be combined and analysed


a 3D modelling platform




Soutz fault model, GOcad



Limagne clastic reservoir,
3D Geomodeller, BRGM



Bouillante volcanic reservoir,
EarthVision, BRGM





Gross Schönebeck model,
EarthVision, GFZ



Investigation of Unconventional Geothermal Resources and Enhanced Geothermal Systems

- > Geological knowledge
- > Finding heat at depth
- > Stress field
 - Ability of fault and fracture systems to channel fluids is directly dependant on the stress field. Stress field and hydro-fracturing are linked
 - Mechanisms of rupture and propagation of an existing fault system and related displacement remain debated as well as the permeability associated with
 - **Favourable and unfavourable stress field conditions must be evaluated, depending of the different stimulation methods**

Complex interaction between lithologies, fractures and stress field



A framework for some of the R&D issues that will result from the ENGINE project

> to capitalise the know-how and to define new integrated projects

- Investigation of Unconventional Geothermal Resources and Enhanced Geothermal Systems
- **Drilling, stimulation and reservoir assessment**
- Economic, environmental and social impacts

An updated framework of activities concerning
Unconventional Geothermal Resources and Enhanced
Geothermal Systems in Europe

WP4
Drilling, stimulation and reservoir assessment

- Drilling technology, reservoir modelling and management
- Gaps, barriers and cost effectiveness

Publications
- state-of-the-art
- proceedings of conferences
- definition and analysis of bottlenecks and solutions

29 Jun - 01 Jul 2006 [Stimulation of reservoir and induced microseismicity - Zurich, Switzerland, Workshop3](#)

1-05 July 2007 [Drilling cost effectiveness and feasibility of high-temperature drilling - Reykjavik, Iceland, Workshop4](#)



Drilling, stimulation and reservoir assessment

- > Enhancing or engineering the reservoir is a key issue for EGS
- > Mechanical and chemical stimulations are commonly used to enhance their hydraulic properties.
- > Induced microseismicity, geochemical tracing and thermal evolution of the system is an exceptional opportunity to characterize the reservoir and its dynamics
- > The success of these experiences is still a matter of trial and error, depending on the variety of geological contexts and site conditions. More detailed reviews are needed about some stimulation methods, and exchanges with hydrocarbon industry and underground nuclear waste and CO₂ storage platforms are likely



**An updated framework of activities concerning
Unconventional Geothermal Resources and Enhanced
Geothermal Systems in Europe**



Geothermal electricity generation in Europe

	Dry Steam Plants in MW _{el}	Flash Plants in MW _{el}	Binary Plants in MW _{el}	Total Capacity in MW _{el}	Capacity by 2010 in MW _{el}
Austria			1.4	1.4	7.4
France		14.7 ^a		14.7	20.7
Germany			0.2	0.2	25.2
Iceland		161.7	10.4	172.1	392.1
Italy	770.5	20		790.5	890.5
Portugal		3.0	13.0 ^b	16	35
Russia		110 ^c		110	228
Switzerland					6
Turkey		20.4		20.4	
Europe	770,5	329.8	24.3	1,125.3	1,650.3

Compiled by Kaltschmitt & Frick, 2006 from WGC05

^a Guadeloupe; ^b Azores; ^c thereof 9 MW_{el} flash-binary unit



Economic, environmental and social impacts

> Electricity production from low enthalpy resources in Europe: a fairly young technology which lacks wide experience, both for the development of geothermal resources and power plant systems

> Discussion about the pros and cons of

- ORC vs. Kalina cycle,
- air vs. water cooling
- fancy vs. proven technology
- power vs. Combined Heat Power

is of no interest in terms of a further development of geothermal energy use

> The main task of project developers is the optimisation potential in terms of the design of the working fluid, the cycle and turbine designs as well as the cooling systems

EGS activity in the German part of the Upper Rhine graben

- > The Renewable Energy Source Act (EEG) was introduced in Germany to facilitate sustainable development of energy supply in the interest of managing global warming, conserving nature and protecting the environment
 - > The EEG entered into force in 2000 and was amended on 1st of August 2004.
 - > Fees paid for electricity produced from geothermal energy:
 - At least 15 cents per KWh up to and including a capacity of 5 MW,
 - At least 14 cents per KWh up to and including a capacity of 10 MW,
 - At least 8.95 cents per KWh up to and including a capacity of 20 MW
 - At least 7.16 cents per KWh for a capacity of 20 MW and over
- ***From Bestec, 2006***

EU-wide Feed-in tariffs for geothermal energy

Austria: 7,00 ct/kWh

Germany: up to 15,00 ct/kWh



Belgium: 2,50 ct/kWh

Greece: 7,31 ct/kWh



Czech Republic: 15,56 ct/kWh

Slovakia: 9,04 ct/kWh

Estonia: 5,10 ct/kWh

Slovenia: 5,85 + 2,52 ct/kWh




France: 10 ct/kWh (overseas: 12)

Spain: 6,49 + 2,94 ct/kWh




An international framework and a renewed interest for the geothermal energy from deep sources

- > Development of geothermal energy requires the realisation of short term projects showing the use of cost-efficient geothermal energy and of medium to long term projects that concern Enhanced Geothermal Systems
- > the Soultz experiment is considered as the international reference by the Australian investors and American scientists for whom EGS is one of the few renewable energy that can provide continuous base load-power
- > The co-ordination of these short and long term projects requires a well organised scientific community at an international level, a restored political support and good links with industry and stakeholders



A continent to explore...





Groß
Schönebeck ★

Upper Rhine Valley

Soultz-sous-forêt EGS ★★

Limagne ★


- Bruchsal
- Karlsruhe
- Karlsruhe-Nord
- Hockenheim-Philippsburg
- Rastatt-Lichtenau-Rheinau
- Weinheim
- Neuried-Altenheim
- Mannheim
- Emmendingen
- Kehl am Rhein
- Dinkelberg
- Breisach
- Markgräfler Land
- Lahr
- Offenburg
- Neuried-Ichenheim
- Neuenburg am Rhein
- Heidelberg
- Goldscheuer
- Freiburg-West
- Schwetzingen
- Bietigheim
- Schriesheim
- Wiesloch
- Karlsdorf
- Rhust-Whyl
- Freiburg-West
- Speyerdorf
- Landau in der Pfalz
- Offenbach an der Queich
- Bellheim
- Speyer
- Riedstadt
- Bad Bergzabern
- Steinfeld
-



The use of Oil and Gas wells

Could we exploit the geothermal potential of North Sea oil fields as their oil runs out? Some have reservoir temperatures over 100° C and so electricity generation might be possible

(J. Busby, 2006, BGS)



- > Geothermal energy applications have gained renewed interest in recent years. One of the interesting applications is the re-use of deep boreholes drilled by oil and gas industry for a Deep Borehole Heat Exchanger (DBHE).

> (J. D. Van Wees, 2007, TNO)



From an ENhanced Geothermal Innovative Network for Europe to an European geothermal drilling program?

- > an effort of communication to be done to promote the geothermal energy as a cost-efficient alternative source of energy
- > a need of good synthesis of the knowledge and collection of existing datasets for modelling and assessment of the resources, prior to drilling
- > a need for a **scientific exchange platform** for:
 - promoting past and on-going experiences by making them visible and reproducible
 - defining **research projects** that could be presented to the EU commission as a possible contribution for the future work programme of the FP7.
 - defining **an ambitious research program at the scale of Europe** that will federate the research capacity and limit the financial risk by sharing the investment. Such a program, that could be for example an **European geothermal drilling program** requires a common approach of both scientist and stakeholders

Conclusions

- > A sound scientific and technical knowledge acquired in Europe during the 20th century
 - Conventional geothermal energy still benefits from ongoing improvements in conversion, heat distribution... and should become increasingly cost-effective (rise in energy prices, new environmental constraints, greenhouse gas reduction...)
- > A need for long-term collaborative research on international projects to develop Enhanced Geothermal Systems
 - reference to the Soultz experiment for promoting new projects in Australia, Kamtchaka, Chile..., extension of existing geothermal fields, geothermal recovery from existing oil and gas operations...
- > ENGINE, along with other initiatives (European Commission, IEA-GIA, MIT expert panel, IGA, EGEC...) can
 - contribute to the construction of an international strategy
 - consolidate the available information systems
 - propose spin-off projects that will receive the support of stakeholders, decision makers and private investors.